

LTS Research Laboratories, Inc. Safety Data Sheet Lithium Silicon Alloy

1. Product and Company Identification

Trade Name: Lithium Silicon Alloy

Chemical Formula: Li/Si

Recommended Use: Scientific research and development

Manufacturer/Supplier: LTS Research Laboratories, Inc.

Street: 37 Ramland Road
City: Orangeburg
State: New York
Zip Code: 10962
Country: USA

Tel #: 855-587-2436 / 855-lts-chem

24-Hour Emergency Contact: 800-424-9300 (US & Canada)

+1-703-527-3887 (International)

2. Hazards Identification

Signal Word: Danger



Hazard Statements: H260: In contact with water releases flammable gases which may ignite

spontaneously

H228: Flammable solid

H314: Causes severe skin burns and eye damage

Precautionary Statements: P210: Keep away from heat/sparks/open flames/hot surfaces – No

smoking

P231+P232: Handle under inert gas. Protect from moisture P240: Ground/bond container and receiving equipment

P241: Use explosion-proof electrical/ventilating/light/equipment

P260: Do not breathe dust/fume/gas/mist/vapours/spray

P280: Wear protective gloves/protective clothing/eye protection/face

protection

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off

immediately all contaminated clothing. Rinse skin with water/shower P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do -

continue rinsing

P370+P378: In case of fire: Use CO₂, sand, extinguishing powder for

extinction

P405: Store locked up

P501: Dispose of contents/container in accordance with

local/regional/national/international regulations

HMIS Health Ratings (0-4):

Health: 3
Flammability: 3
Physical: 3

3. Composition	
Chemical Family:	Metal Alloy
Additional Names:	None
Lithium (Li):	
Percentage:	0-100 wt%
CAS #:	7439-93-2
EC #:	231-102-5
Silicon (Si):	
Percentage:	0-100 wt%
CAS #: EC #:	7440-21-3 231-130-8
	251-130-0
	4. First Aid Procedures
General Treatment:	Seek medical attention if symptoms persist.
Special Treatment: Important Symptoms:	None Causes severe skin burns
important symptoms.	Causes severe eye damage
Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult.
Ingestion:	Give one to two glasses of water and induce vomiting. Never induce
	vomiting or give anything by mouth to an unconscious person.
Skin:	Immediately remove any clothing soiled by the product. Wash affected
Eyes:	area with mild soap and water. Remove any contaminated clothing. Flush eyes with water, blinking often for several minutes. Remove
Lycs.	contact lenses if present and easy to do. Continue rinsing
	is in the second control of the second contr
	5. Firefighting Measures
Flammability:	Flammbable
Extinguishing Media:	Do not use water for metal fires – use CO ₂ , sand, extinguishing powder
Spec. Fire Fighting Procedure:	Use full-face, self-contained breathing apparatus with full protective
	clothing to prevent contact with skin and eyes. See section 10 for decomposition products.
	6. Accidental Release Measures
If Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide
	ventilation. Vacuum up spill using a high efficiency particulate
	absolute (HEPA) air filter and place in a closed container for disposal.
	Take care not to raise dust.
Environmental Precautions:	Isolate runoff to prevent environmental pollution.
	7. Handling and Storage
Handling Conditions:	Handle under dry protective gas. Wash thoroughly after handling.
Storage Conditions:	Store in a cool dry place in a tightly sealed container. Store under dry
Work/Hygienic Maintenance:	inert gas. Store apart from materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before
ork 11, grome mantenance.	eating and smoking. Do not blow dust off clothing or skin with
	compressed air.
Ventilation:	Provide sufficient ventilation to maintain concentration at or below
	threshold limit.

8. Exposure Controls and Personal Protection

Permissible Exposure Limits: 15 mg/m³ as Si total dust, long-term value

5 mg/m³ as Si respirable fraction, long-term value

Threshold Limit Value: N/A

Special Equipment: None

Respiratory Protection: Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a

backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government

standards.

Protective Gloves: Nitrile rubber, NBR 0.11mm thick.

Penetration time of glove material: 480 minutes

Eye Protection: Safety glasses or goggles, Full face protection

Body Protection: Protective work clothing. Wear close-toed shoes and long

sleeves/pants.

9. Physical and Chemical Characteristics

Color N/A

Form: Powder, Granules, Pellets, Sputtering target, Custom parts

Odor: N/A

Water Solubility: Reacts violently releasing flammable gases

Boiling Point: N/A

Melting Point: 180.5-1414 °C

Flash Point: N/A

Autoignition Temperature: N/A

Density: N/A

Molecular weight: N/A

10. Reactivity

Stability: Stable under recommended storage conditions

Reacts With: Water, Acids, Oxidizing agents, Halogens, Interhalogens

Incompatible Conditions: Water/moisture

Hazardous Decomposition Products: Lithium oxide, Silicon oxide

11. Toxicological Information

Potential Health Effects:

Eyes:May cause irritationSkin:May cause irritationIngestion:May cause irritationInhalation:May cause irritation

Chronic: N/A

Signs & Symptoms: N/A
Aggravated Medical Conditions: N/A

Median Lethal Dose: 3160 mg/kg for rat by mouth

Carcinogen: N/A

	12. Ecological Information
Aquatic Toxicity:	Low
Persistent Bioaccumulation Toxicity:	No
Very Persistent, Very Bioaccumulative:	No
Notes:	N/A
	13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

14. Transportation Data

Hazardous: Hazardous for transportation.



Hazard Class: 4.3 Substances which, in contact with water, emit flammable gases

Packing Group: II UN Number: UN1417

Proper Shipping Name: Lithium Silicon

15. Regulatory Information

Sec 302 Extremely Hazardous:
Sec 304 Reportable Quantities:
No
N/A
No
No

16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 04/05/2025