

## LTS Research Laboratories, Inc. Safety Data Sheet Sodium

## 1. Product and Company Identification

Trade Name: Sodium Chemical Formula: Na

Recommended Use: Scientific research and development

Manufacturer/Supplier: LTS Research Laboratories, Inc.

Street: 37 Ramland Road
City: Orangeburg
State: New York
Zip Code: 10962
Country: USA

Tel #: 855-587-2436 / 855-lts-chem

24-Hour Emergency Contact: 800-424-9300 (US & Canada)

+1-703-527-3887 (International)

## 2. Hazards Identification

Signal Word: Danger



Hazard Statements: H260: In contact with water releases flammable gases which may ignite

spontaneously.

H314: Causes severe skin burns and eye damage.

H335: May cause respiratory irritation

Precautionary Statements: P202: Do not handle until all safety precautions have been read and

understood.

P223: Keep away from any possible contact with water, because of

violent reaction and possible flash fire.

P271: Use only outdoors or in a well-ventilated area

P231+P232: Handle under inert gas. Protect from moisture.

P260: Do not breathe dust/fume/gas/mist/vapours/spray

P264: Wash face, hands, and any expose skin thoroughly after handling

P280: Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P281: Use personal protective equipment as required.

P310: Immediately call a POISON CENTER or doctor/physician

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce

vomiting.

P303+P361+P353: IF ON SKIN (or hair): Remove/ Take off

immediately all contaminated clothing. Rinse skin with water/ shower. P304+P340+P310: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a

POISON CENTER or doctor/physician.

P305+P351+P338+P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing, Immediately call a POISON CENTER/doctor.

P308+P313: If exposed or concerned: Get medical advice/ attention.

P335+P334: Brush off loose particles from skin. Immerse in cool

water/ wrap in wet bandages.

P363: Wash contaminated clothing before reuse. P370+P378: In case of fire: Use CO2, dry chemical or foam for extinction. P403+P233: Store in a well ventilated place. Keep container tightly P402+P404: Store in a dry place. Store in a closed container. P405: Store locked up. P501: Dispose of contents/container to an approved waste disposal HMIS Health Ratings (0-4): Health: 3 Flammability: 4 Physical: 3 3. Composition Chemical Family: Metal Additional Names: N/A Sodium (Na): Percentage: 100 wt% CAS #: 7440-23-5 EC #: 231-132-9 4. First Aid Procedures Seek medical attention if symptoms persist. General Treatment: Special Treatment: None **Important Symptoms:** None Remove victim to fresh air. Supply oxygen if breathing is difficult. Do Inhalation: not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Give one to two glasses of water and induce vomiting. Do NOT induce Ingestion: vomiting. Never induce vomiting or give anything by mouth to an unconscious person. Wash affected area with mild soap and water. Remove any contaminated clothing. Flush eyes with water, blinking often for several minutes. Remove contact lenses if present and easy to do. Continue rinsing 5. Firefighting Measures

Flammability: Highly flammable

Extinguishing Media:

Skin:

Eyes:

Spec. Fire Fighting Procedure:

Do not use water for metal fires – use CO<sub>2</sub>, sand, extinguishing powder. Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for

decomposition products.

6. Accidental Release Measures

If Material Is Released/Spilled: Wear appropriate respiratory and protective equipment specified in

special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal.

Take care not to raise dust.

**Environmental Precautions:** Isolate runoff to prevent environmental pollution. 7. Handling and Storage

Handling Conditions: Do not get in eyes, on skin or on clothing. Handle under dry protective

gas. Use only under a chemical fume hood. Wash thoroughly after

handling.

Storage Conditions: Store in a cool dry place in a tightly sealed container. Store under dry

inert gas. Store away from air, water/moisture, acids, oxidizing agents, halogens, halocarbons, alcohols. This product is moisture and air sensitive. Protect from humidity and water. Store apart from materials

and conditions listed in section 10.

Work/Hygienic Maintenance: Do not use tobacco or food in work area. Wash thoroughly before

eating and smoking. Do not blow dust off clothing or skin with

compressed air.

Ventilation: Provide sufficient ventilation to maintain concentration at or below

threshold limit.

8. Exposure Controls and Personal Protection

Permissible Exposure Limits: N/A
Threshold Limit Value: N/A

Special Equipment: Properly operating chemical fume hood designed for hazardous

chemicals and having an average face velocity of at least 100 feet per

minute.

Respiratory Protection: Dust Respirator

Protective Gloves: Nitrile rubber gloves with minimum thickness of 0.11 mm

Eye Protection: Safety glasses or goggles

Body Protection: Protective work clothing. Wear close-toed shoes and long

sleeves/pants.

9. Physical and Chemical Characteristics

- Research

Color Silver grey

Form: Powder, Granules, Pellets, Sputtering target, Custom parts

Odor: Odorless

Water Solubility: Reacts violently with water. Contact with water liberates extremely

flammable gases.

Boiling Point: 883 °C

Melting Point: 98 °C

Flash Point: 82 °C

Autoignition Temperature: 115 °C

Density: 0.968 g/cc

Molecular weight: 22.99 g/mol

10. Reactivity

Stability: Stable under recommended storage conditions. Reacts violently with

water. Contact with water liberates extremely flammable gases.

Reacts With: Oxidizing agents, acids, halogens, halocarbons, alcohols

Incompatible Conditions: Water/moisture, air

Hazardous Decomposition Products: Metal oxide fume, sodium oxide

## 11. Toxicological Information

Potential Health Effects:

Eyes: Causes serious eye damage Skin: Causes severe skin burns

Ingestion: Swallowing will lead to a strong corrosive effect on mouth and throat

and to the danger of perforation of esophagus and stomach

Inhalation: May cause irritation

Chronic: The Registry of Toxic Effects of Chemical Substances (RTECS)

contains multiple dose toxicity data for this substance.

Signs & Symptoms: Burning sensation, cough, wheezing, laryngitis, shortness of breath,

spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. Aspiration may lead to lipid pneumonia. Effects due to ingestion may include laxative effect,

gastrointestinal disturbance.

Aggravated Medical Conditions: N/A

Median Lethal Dose: N/A

Carcinogen: IARC: No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed human

carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by

NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by

OSHA.

12. Ecological Information

Aquatic Toxicity: N/A
Persistent Bioaccumulation Toxicity: N/A
Very Persistent, Very Bioaccumulative: N/A

Very Persistent, Very Bioaccumulative: N/Notes:

Do not allow material to be released to the environment without proper

koratorias, Inc.

governmental permits. Avoid transfer into the environment.

13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

14. Transportation Data

Hazardous: Hazardous for transportation



Hazard Class: 4.3 Substances which, in contact with water, emit flammable gases

Packing Group:

UN Number: UN1428 Proper Shipping Name: Sodium

15. Regulatory Information	
N/A	
N/A	
N/A	
	N/A N/A

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 02/18/2020

